Product Overview




ERLAND TANDBERG Data Storage Group

With over 1 million units deployed worldwide and over 30 years of technology leadership, the Overland-Tandberg Storage Group continues to develop proven technology that makes data management and data protection effortless. Businesses of all sizes and locations are faced with both the challenges of data storage growth and limitations in resources or expertise to deploy complicated and expensive systems.

Our entire line of data management and data protection solutions provide the benefits of simple yet fully featured online, nearline, offline and archival storage to meet business needs across the data lifecycle, without the typical drawbacks or high cost of ownership. Companies can focus on building their business instead of worrying about data growth, data loss or data management.

Overland-Tandberg's product portfolio consists of RDX removable disk, NEO Series LTFS and tape backup/archive, and SnapServer NAS storage. Our product suite is enhanced by dedicated global service and support that has been recognized for its outstanding levels of service.

Trusted and reliable storage, data management, backup and archive solutions



DATA STORAGE : DATA MANAGEMENT : DATA PROTECTION : BACKUP : ARCHIVE : COMPLIANCE : DISASTER RECOVERY : SECURITY : CLOUD





RDX Family

RDX[®] is the removable disk standard which provides a combination of portability and reliability with speed and simplicity that is unique in its backup appliance product class. The RDX product family is designed to provide an affordable and flexible platform for data storage, data protection and off-site disaster recovery for physical or virtual environments as well as in Hybrid-Cloud applications. Over the last 10 years, we have gained a million satisfied RDX customers in the SMB / SME business space verticals of Healthcare, Retail & Franchise, Government & Public Safety, Education, Telecom market, Automotive, Finance and many others.





Product	RDX QuikStor	RDX QuadPAK	RDX QuikStation 4	RDX QuikStation 8	Product	HDD Media	WORM Media (HDD)
Form factor	External / Internal 3.5" / 5.25"	1.5U rackmount	1U rackmount or desktop	2U rackmount	Form factor	Disk based removable media with rugged design to withstand drops, vibrations, electrostatical discharge and rough environm	
Best fit	Small Business and SOHO environments with no dedicated IT-personal which require easy data protection and off-site storage	Small business environments with servers and IT-equipment installed in a rack	and the need for off-site storage and data transportation environments and off-site storage network attached removable storage up to 16TB, or want to need controllized PDX storage with a total		Buy this product if you need	HDD:to perform backup, restore, long term archiving tasks or m and exchange business data WORMto archive data to meet regulatory and compliance requirements or need ransomware protection with RDX RansomB	
Buy this product if you need	an affordable, reliable and bullet proof device for daily backup, archiving or data exchange External: for Desktop applications with your PC, Laptop, Server or NAS Internal: for Server and PC integration	a 19" rack mount solution for 1- 4 RDX QuikStor drives			Capacity	500GB, 1TB, 2TB, 3TB, 4TB, 5TB	1TB, 2TB, 4TB
Connectivity	USB3+ or SATA III / USB 3.0	USB 3.0 and USB3+ drive dependent	iS	CSI	Load/Unload (min)	5,000 insertion/	removal cycles
Performance	up to 330MB/s, depending on media and interface type	up to 260MB/s, drive and media dependent	2 x 1 Gigabit Ethernet speed 1 x 10 and 4 x 1 Gigabit Ethernet speed or		Supported filesystems	NTFS, FAT32, exFAT, ex2, ex3, ex4 and Mac OS Extended (HFS Plus)	
	Removable Disk Mode and Fixed Disk Mode for integration with Windows®		4 RDX removable and fixed disk			10 years	
Operational mode	Backup (Fixed Disk Mode USB interface only)		drives, 1 Logical volume across all RDX drives**	2 Logical volumes across 4 RDX drives** Disk loader, tape automation and Hybrid	Compatibility	Forward/backward compatibility to all RDX drives and system	
PowerEncrypt Hardware encryption	SATA III interface only*				Encryption	Software and hardwar	e encryption capable
Standard warranty		3 yr. OverlandCa		Standard warranty	3 yr. OverlandCare Bronze Level		



NEO Tape Family

NEO Series solutions provide backup, archive and disaster recovery of your digital assets. Based on the industry-leading LTO tape drive and LTFS technologies, NEO Series solutions improve business efficiency, eliminate costly downtime and deliver the lowest cost of ownership of any storage technology. NEO Series combines large storage capacities with easy-to-use, highly reliable, cost-efficient platforms that protect data from fire, flood, hardware failure, cyber attacks, viruses, human error and disgruntled employees.

					a <mark>marka</mark> a						•				
Tape Automation	NEOs	StorageL	oader		NEOs T2	4		NEOs T4	18	NEOx	I 40	NEOx	80	NEOx	8000
Summary	Entry-le	evel tape au	utoloader	Com	npact tape l	ibrary	Mid-sized tape library Mid-sized scalable tape library with high reliability				Mid-sized scalable tape library with high reliability				
Best fit	Small business or remote location Small/medium business			Medium business with growing storage requirements Medium business with rapidly growing storage requirements		Medium business with rapidly growing, demanding data storage requirements		Large business with massive data storage requirements							
Buy this product if you need		noderate storage capacity t have very limited resources but have limited budget			ge storage o and redund				flexible, high-performance, high capacity, highly available storage			ilable storage			
Slots		8			24			48		32 base modules, 40 expansion modules		80 base modules, 80 expansion modules		560	
Drives		1			1-2		1-4 1-3		1-6		42				
Form factor	1	U Rackmou	unt	2	2U Rackmou	Int	4U Rackmount 3U Rackmount		6U Rackmount		42U Rackmount				
Reliability		2.0M MSB	F		2.0M MSB	F	2.0M MSBF		3.0M	MSBF	3.0M N	ISBF	3.0M	MSBF	
Redundant PSU		No			No		Yes		Y	es	Yes	3	Ye	es	
LTFS support		Yes			Yes		Yes Yes		Yes	3	Ye	es			
Scalability		No			No			No Up to 272-slots		Up to 560-slots		N	0		
Warranty	1 yr. OverlandCare Bronze Level								00 10 2		1 yr. OverlandCar				
LTO technology	I TO-6 HH	LTO-7 HH	I TO-8 HH	I TO-6 HH	LTO-7 HH	1 TO-8 HH	I TO-6 HH	LTO-7 HH	LTO-8 HH	LTO-7 HH	LTO-8 HH	LTO-7 HH	LTO-8 HH	LTO-7 HH	LTO-8 HH
Interface	SAS/FC		SAS	SAS/FC	SAS/FC	SAS/FC	SAS/FC	SAS/FC	SAS/FC	SAS/FC	SAS/FC	SAS/FC	SAS/FC	FC	FC
Capacity (Comp. TB)	50	120	240	150	360	720	300	720	1,440	480 base / 600 exp.	960 base / 1,200 exp.	1,200	2,400	8,400	16,800
Performance (Comp. TB/hr)	1.4TB/hr.	2.7TB/hr.	2.7TB/hr.	2.9TB/hr.	5.4TB/hr.	5.4TB/hr.	5.8TB/hr.	10.8TB/hr.	10.8TB/hr.	8.1TB/hr.	8.1TB/hr.	16.2TB/hr.	16.2TB/hr.	113.4TB/hr.	113.4TB/hr.
Cost per TB*		\$23			\$10			\$7		9	5	\$4	1	\$	3

* Cost per TB is based on LTO-8 MSRP, divided by the highest compressed capacity configuration.

E

١



NEO Agility
LTFS archive appliance
Business needing to share and store large files
need the ease-of-access of disk and the cost effectiveness of tape
1U Rackmount
360TB - 15PB
Unlimited
SAS/FC
No
Yes
1yr. OverlandCare Silver Level

LTO-6 HH	LTO-7 HH	LTO-8 HH				
Industry standard for backup and archive						
Remote offices or small businesses						
single-serve	r/workstation backup	and archive				
SAS/FC	SAS/FC	SAS/FC				
6.25	15	30				
1.4	2.7	2.7				
54-400	101-750	112-750				
AES 256-bit						
Yes (free software)						
3 yr. OverlandCare Bronze Level						
	Industry s Remote offi single-server SAS/FC 6.25 1.4 54-400	Industry standard for backup a Remote offices or small business single-server/workstation backup SAS/FC SAS/FC 6.25 15 1.4 2.7 54-400 101-750 AES 256-bit Yes (free software)				

		Tape Drives						
LTO CO	mpatibility	LTO-6 HH	LTO-7 HH	LTO-8 HH				
	LT0-2 LT0-3							
Marilla	LT0-4	R						
Media	LT0-5	R/W	R					
	LT0-6	R/W	R/W					
	LT0-7		R/W	R/W				
	LT0-8			R/W				

Last line of defense in data protection: fire, flood, hardware failure, human error, software corruption or cyber attack.

	.com



SnapServer NAS Family

SnapServer family offers enterprise class unified block and file storage that is workload optimized and is scalable up to ~ 1.1PB. SnapServer powered by GuardianOS has over 300,000+ enterprise deployments and is used by more than half of the Fortune 500. It has been honored with more than 80 industry product awards. SnapServer provides high performance snapshots, ability to easily mix and match drives with DynamicRAID, and grow and shrink volumes with Thin provisioning. Features also include disaster recovery solution at no additional cost with Snap Encrypted Continuous Replication (Snap ECR) and certification with a number of leading 3rd party backup software including VEEAM, Backup Exec and NetBackup.

		and the second se						
	SnapServer XSD40	SnapServer XSR40	SnapServer XSR120	SnapServer H	Hybrid Flash Array	SnapServer All-Flash Array		
Product summary	Easy to use desktop storage system for small offices with powerful features	Mid-range, scalable unified storage system with enterprise class features	Enterprise class, high-performance, scalable, unified storage system with resiliency and ease of management	Supports mixing and matching SSD, SAS and SATA drives to optimize performance require- ments of multiple applications simultaneously		Enterprise class storage system with SSD drives for highest performance		
Best fit	Small office environments and workgroups Small-medium businesses with less than 100 users with growing storage needs		Dynamic business storage environments with 100-500 users and significant data growth	General purpose storage and server virtualization dat and/or virtual desktop infrastructure (VDI) (VE		Business-critical applications such as databases, virtual desktop infrastructure (VDI), On-Line Transaction Processing, and Real-Time analytics		
Buy this product if you need	storage for sharing data for small and remote offices with easy management and replication of data between locations for disaster recovery	storage for sharing data for small to medium business locations with easy expansion and management and replication of data between locations for disaster recovery	storage for file sharing, backup and virtualization; Including simple expansion with DynamicRAID and a provisioning free storage experience	to balance performa	ance, capacity and cost	high-performance and need to meet low latency requirements		
Capacity	Up to 48TB	Up to 480TB	Up to 1.15PB	<u>^</u>				
Expansion units	No	Yes, up to 3 total	Yes, up to 7 total	C Snap cloud				
Form factor	Desktop	Desktop 1U rackmount 2U rackmount				SnapCLOUD		
No. drives supported	4	4	12					
Drive types supported	SATA: 1TB, 2TB, 4TB, 6TB, 8TB Enterprise SATA: 1TB, 2TB, 4TB, 6TB, 8TB, 10TB	SATA : 1TB, 2TB, 4TB, 6TB, 8TB, 10TB. 12TB Enterprise SATA: 1TB, 2TB, 4TB, 6TB, 8TB, 10TB, 12TB	15K SAS: 300GB, 600GB 10K SAS: 300GB, 600GB, 900GB, 1.2TB, 1.8TB Enterprise SATA: 1TB, 2TB, 4TB, 6TB, 8TB, 10TB, 12TB SSD: 480GB, 960GB, 1,92TB	Product summary SnapCLOUD is a hybrid-cloud ready virtual NAS applian Microsoft Azure with enterprise class data management		prise class data management capabilities		
Raid levels	Traditior	nal RAID - 0, 1, 5, 6, 10 / DynamicRAID - Single or	Dual Parity	Best fit	public cloud) storage	nanage hybrid-Cloud (on-premise and		
SnapShots/ Replications		High Performance Snapshots		Buy this product if		ity, access control, and replication		
Connectivity options	• 2 x 1GbE int • Expandable	cluded up to 4 x 1GbE	 2 x 1GbE included 2 x10GbE optional Expandable up to 10 x 1GbE or 6 x 1GbE + 2 x 10GbE 	you need between your on-premise and public cloud storage		and public cloud storage		
Standard warranty		3 yr. OverlandCare Bronze Level	Sales and support for Overland/Tandberg products and solutions are available in over 90 countries.					
ISCSI support		Yes						
				Conta	act us today at sales or sales@tand	@overlandstorage.com lbergdata.com		

DS_v6_mar28_2018

©2018 Sphere 3D. All trademarks and registered trademarks are the property of their respective owners. The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind. Sphere 3D shall not be liable for technical or editorial errors or omissions contained herein.